

L Number	Hits	Search Text	DB	Time stamp
1	36	((204/400,403.06,403.11.ccls. 422/55,57,58,82.01.ccls. 424/449.ccls. 435/6-14,25,287.1-288.2,810.ccls.  436/164,172,514-531,804-805.ccls.) (600/309-322,345-347,362-367,556,573-584.ccls. 604/20,22,46,501,890.1.ccls. ) and ((sampling sampler collector collecting) same (detect\$3 sens\$3) same (transmit transmission wireless telemet\$3) same (control operat\$3 controller)) and (\$hemoglobin hematocrit ((saturated blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:57
2	484	((204/400,403.06,403.11.ccls. 422/55,57,58,82.01.ccls. 424/449.ccls. 435/6-14,25,287.1-288.2,810.ccls.  436/164,172,514-531,804-805.ccls.) (600/309-322,345-347,362-367,556,573-584.ccls. 604/20,22,46,501,890.1.ccls. ) and ((sampling sampler collector collecting) and (memory RAM (data with (storage stor\$3 recall)) ROM) and (detect\$3) and display and (transmit transmission wireless telemet\$3) and (control operat\$3 controller) and (\$hemoglobin hematocrit ((saturated blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:58
3	282	((204/400,403.06,403.11.ccls. 422/55,57,58,82.01.ccls. 424/449.ccls. 435/6-14,25,287.1-288.2,810.ccls.  436/164,172,514-531,804-805.ccls.) (600/309-322,345-347,362-367,556,573-584.ccls. 604/20,22,46,501,890.1.ccls. ) and ((sample fluid) with chamber) and (memory RAM (data with (storage stor\$3 recall)) ROM) and (detect\$3) and display and (transmit transmission wireless telemet\$3) and (control operat\$3 controller) and (\$hemoglobin hematocrit ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:59
4	181	((204/400,403.06,403.11.ccls. 422/55,57,58,82.01.ccls. 424/449.ccls. 435/6-14,25,287.1-288.2,810.ccls.  436/164,172,514-531,804-805.ccls.) (600/309-322,345-347,362-367,556,573-584.ccls. 604/20,22,46,501,890.1.ccls. ) and ((sample fluid) with chamber) and (memory RAM (data with (storage stor\$3 recall)) ROM) and (detect\$3) and display and (transmit transmission wireless telemet\$3) and (control operat\$3 controller) and (\$hemoglobin hematocrit ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:59
5	31	((204/400,403.06,403.11.ccls. 422/55,57,58,82.01.ccls. 424/449.ccls. 435/6-14,25,287.1-288.2,810.ccls.  436/164,172,514-531,804-805.ccls.) (600/309-322,345-347,362-367,556,573-584.ccls. 604/20,22,46,501,890.1.ccls. ) and (iontophoresis) and (memory RAM (data with (storage stor\$3 recall)) ROM) and (detect\$3) and display and (transmit transmission wireless telemet\$3) and (control operat\$3 controller) and (\$hemoglobin hematocrit ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:59

6	74	600/\$.ccls. and ((sample fluid) with (reservoir volume chamber)) and (fluorescen\$ fluorophore) and (laser same ((light with emitting with diode) LED))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 16:00
---	----	---	---	------------------